Safety Data Sheet General Purpose Gov

General Purpose Gown with Thumbloop



1. Identification of the substance	/ Preparation and Company Information
------------------------------------	---------------------------------------

Product name:	General Purpose Gown with Thumbloop
Article no.:	3158402
Chemical family:	Long molecular chain belt organic chemicals
Chemical name:	Chlorinated Polyethylene (CPE)
Purpose:	Providing a protective barrier/infection control for many
	situations.
Name of supplier:	Eagle Protect PBC
Key Contact:	Lynda Ronaldson
Address of supplier:	3079 Harrison Avenue, Suite. #21
	South Lake Tahoe
	California 96150
Telephone:	800-3843905
E-mail:	admin@eagleprotect.com
Website:	www.eagleprotect.com
Emergency telephone:	In the case of an emergency please call 911.

2. Hazards Identification

General information:	Not classified as hazardous for transport.
Classification of the substance	This product does not meet the criteria for classification in any
according to Directive 67/548/EEC or	hazard class according to Regulation EC 1272/2008 on
Directive 1999/45/EC or EC	classification, labeling and packaging of substances and
1272/2008 (CLP):	mixtures.
Labeling according to EU guidelines:	No labeling information about hazard pictogram, signal word,
	hazard statements and precautionary statements available. This
	product does not meet the criteria for classification in any hazard
	class according to Regulation EC 1272/2008 on classification,
	labeling and packaging of substances and mixtures.
Risk phrases:	N/A
Safety phrases:	N/A
Additional information:	No REACH registration number is given, as this substance is a
	polymer and exempted from registration according to article 2.9
	in REACH Regulation.

3. Composition/Information on ingredients

Chemical name	Conc.	Classification	CAS No.	EC No.
		67/548/EEC		

Last revised on 5/5/20 Page 1 of 7

Chlorinated Polyethylene	≥ 95.0%	Not classified	64754-90-1	Not available
Calcium Distearate	≤ 2.5%	Not classified	1592-23-0	216-472-8
Talc (Mg3H2(SiO3)4)	≤ 2.5%	Not classified	14807-96-6	238-877-9
Additional information:	N/A			

4. First Aid Measures

General information:	In all cases of doubt or when symptoms persist, seek medical
	attention.
After inhalation:	Remove from exposure and move to fresh air immediately. If not
	breathing, give artificial respiration. If breathing is difficult, give
	oxygen. Seek a physician.
After skin contact:	If irritation occurs discontinue use and seek medical advice if
	symptoms persist.
	Wash skin with plenty of water. Seek medical attention as
	needed. If molten material comes in contact with the skin, do not
	apply ice but cool under running water. DO NOT attempt to
	remove the material from the skin. Removal could cause serious
	tissue damage. Seek medical attention immediately.
After eye contact:	Flush eyes thoroughly with water for several minutes. Remove
	contact lenses after the initial 1-2 minutes and continue flushing
	for several additional minutes. If effects occur, consult a
	physician, preferably an ophthalmologist. May cause injury due
	to mechanical action.
After ingestion:	If ingested, seek medical attention. May cause gastrointestinal
	blockage. Do not give laxatives. Do not induce vomiting unless
	directed to do so by medical personnel.
Notes for the Doctor:	If hydrogen chloride is liberated due to thermal degradation, treat
	as hydrogen chloride exposure. If burn is present, treat as any
	thermal burn, after decontamination. No specific antidote.
	Treatment of exposure should be directed at the control of the
	symptoms and the clinical condition of the patient.

4.1 Most Important symptoms and effects, both acute and delayed

Inhalation:	Dust may cause irritation to upper respiratory tract (nose and
	throat). Thermal degradation of the resin may generate chloride
	gas at concentrations, which may cause respiratory irritation.
Eye Contact:	Solids or dust may cause irritation or corneal injury due to
	mechanical action. Thermal degradation of the resin may
	generate hydrogen chloride gas at concentrations, which may
	cause eye irritation.
Skin Contact:	Prolonged contact is essentially non-irritating to skin. Mechanical
	injury only. Under normal processing conditions, material is
	heated to elevated conditions; contact with the material may
	cause thermal burns. No adverse affects anticipated by skin
	absorption.
Ingestion:	Very low toxicity if swallowed. Harmful effects not anticipated
	from swallowing small amounts. May cause choking if

Last revised on 5/5/20 Page 2 of 7

swallowed.

4.2 Indication of immediate medical attention and special treatment needed

Indications:	Persons with pre-existing skin, eye or respiratory disease may
	be at increased risk from the irritant or allergic properties of this
	material. Attending physician should treat exposed patients
	symptomatically.

5. Firefighting Measures

Extinguishing Media:	Water, fog or fine spray. Dry chemical extinguisher. Carbon
	Dioxide extinguisher. Foam.
Special hazards arising from the substance:	Do not permit dust to accumulate. When suspended in air, dust can pose an explosion hazard. Minimize ignition sources. If dust layers are exposed to elevated temperatures, spontaneous combustion may occur. Dense smoke is emitted when burned without sufficient oxygen.
Hazardous Combustion Products:	During a fire, smoke may contain the original material in addition to combustion products of varying composition, which may be toxic and /or irritating. Combustion products may include and are not limited to: Carbon monoxide, Carbon dioxide, Hydrogen Chloride.

5.1

J. I	
Fire Fighting Procedures:	Isolate fire and keep people away.
	Soak fire thoroughly with water to cool and prevent re-ignition.
	If material is molten, do not apply direct water steam. Use fine
	water spray or foam. Cool surroundings with water to localize fire
	zone. Hand held dry chemical or carbon dioxide extinguishers
	may be used for small fires.
	Dust explosion hazard may result from forceful application of fire
	extinguishing agents.
Protective Equipment:	Wear positive pressure self contained breathing apparatus
	(SCBA) and protective clothing (includes fire fighting helmet,
	coat, trousers, boots, gloves)

6. Accidental Release Measures

Personal precautions:	Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to Section 8 of
	this SDS sheet.
	tilis 3D3 sileet.
Environmental precautions:	Prevent from entering soil, ditches, sewers, waterways and /or
	groundwater. See section 12, Ecological Information.
Methods and material for containment	Contain spilled material if possible. Sweep up.
and cleaning up:	Collect in suitable and properly labelled containers.

Last revised on 5/5/20 Page 3 of 7

7. Handling and Storage

Precautions for safe handling:	No smoking, open flames or sources of ignition in handling and storage area. Good housekeeping and controlling of dusts are necessary for the safe handling of the product. Avoid breathing process fumes – use with adequate ventilation. When appropriated, unique handling information for containers can be found on the product label. Workers should be protected from the possibility of contact with molten resin. Do not get molten material in eyes, on skin or clothing. Pneumatic conveying and other mechanical handling operations can generate combustible dust.
Fire and explosion protection:	To reduce the potential for dust explosion, electrically bond and ground equipment and do not permit dust to accumulate. Dust can be ignited by static discharge.
Requirements to be met by	Store in a cool place.
storerooms and receptacles:	Keep container tightly closed in a dry and well-ventilated place.
Information about storage in one common storage facility:	Store in accordance with good manufacturing practices.
Further information about storage conditions:	Store away from incompatible materials (see section 10 of this SDS).

8. Exposure controls/personal protection

Additional information about design of	No information available
technical facilities:	
Ingredients with limit values that	No information available
require monitoring at the workplace:	
(WEL= Workplace Exposure Limit)	
Personal protective equipment:	No information available
General protective and hygienic	No information available
measures:	
Respiratory protection:	No information available
Protection of hands:	No information available

9. Physical and Chemical Properties

Appearance:	Blue CPE gown with thumbloop
Form:	Solid in product form
Color:	Blue (colored material); White or Yellow CPE powder
Odor:	Odorless, non-toxic
pH Value:	No information available
PE Material Melting point:	No information available
PP Material Melting point:	-
Boiling point:	No information available
PP Flash point:	No information available
Flammability (solid, gaseous)	No information available
Ignition temperature:	No information available
Self-igniting:	No information available

Last revised on 5/5/20 Page 4 of 7

Danger of explosion:	No information available
Explosion limits:	No information available
Vapor pressure at 20°C	No information available
Specific Gravity:	No information available
Density:	No information available
Freezing point:	Flexible at -30°, brittle at -70°
PE Material Breaking Point:	No information available
PE Material Elongation Raths:	No information available
Solubility in water:	No information available
Segregation coefficient (n-octanol	No information available
/water):	
Viscosity	No information available
Dynamic:	
Kinematic:	
Solvent content:	No information available
Solids content:	No information available
Other information:	Material has good tenacity and is miscible with various polymers
	due to its properties of both plastic and rubber. CPE135 shows
	excellent resistance to very low or high temperatures.
	Excellent resistance to weathering or age, ozone, chemicals and
	resistance to oil or flame.

10. Stability and Reactivity

10. Stability and Reactivity	
Thermal decomposition/conditions to	Strong heating, open flames. Exposure to elevated temperatures
be avoided:	can cause product to decompose.
Hazardous polymerization:	No hazardous reaction known. Polymerization will not occur.
Reactivity:	Presents no significant reactivity hazards, by itself or in contact
	with water.
Stability:	Stable under recommended storage conditions
Incompatibility/Materials:	No information available.
Hazardous Decomposition Products:	Decomposition products depend upon temperature, air supply
	and the presence of other materials.
	Processing may release fumes and other decomposition
	products.
	At temperatures exceeding melt temperatures, polymer
	fragments can be released. Fumes can be irritating.
	Decomposition products can include and are not limited to:
	Aldehydes, Alcohols, Organic acids, Hydrogen chloride.
	Decomposition products can include trace amounts of:
	Hydrocarbons

11. Toxicological Information

Acute toxicity:	The product is not expected to be acutely toxic. Quantitative data on the acute oral/inhalation/dermal toxicity of this product are not available.
Primary irritant effect	No relevant information available.

Last revised on 5/5/20 Page 5 of 7

On the skin:	
On the eyes:	
Sensitization:	No relevant information available
Repeated Dose Toxicity: CMR effects (Carcinogenic,	Repeated inhalation exposure may cause respiratory irritation and lung effects/injury. Impaired lung function and abnormal chest x-rays have been observed in humans repeatedly exposed to high levels of talc dust. Rats exposed for their lifetimes to very fine talc particles showed
Mutagenicity and Toxicity for Reproduction):	lung inflammation and fibrosis (both sexes) and lung tumors (females only). These effects are believed to be due primarily to overloading the normal respiratory clearance mechanism. Rats may be particularly susceptible to particle clearance overload, resulting in lung injury and tumors. An increase in spontaneously occurring adrenal tumors observed in male rats is of questionable relevance. No increases in tumors were observed in male or female mice.
Mutagenicity:	No relevant information available.
Toxicity for Reproduction:	No relevant information available.

12. Ecological Information

Aquatic toxicity:	The product is not expected to be acutely toxic to aquatic
	organisms. Quantitative data on the acute fish/daphnia/bacteria
	toxicity of this product are not available.
Persistence and degradability:	This water-insoluble polymeric solid is expected to be inert in the
	environment.
	Surface photo-degradation is expected with exposure to
	sunlight. No appreciable biodegradation is expected.
Mobility in Soil:	Based on current information, there is no data known associated
	with this product.
Behavior in environmental systems:	In the terrestrial environment, material is expected to remain in
	the soil where it may be subject to wind dispersion. In the aquatic
	environment, material will sink and remain in the sediment.
Bio accumulative potential:	No bio-concentration is expected because of the relatively high
	molecular weight (MW greater than 1000).
Ecotoxical effects:	No relevant information available.

13. Disposal Considerations

General Information:	-
Disposal Methods:	Do not dump into any sewers, on the ground, or into any body of
	water. All disposal practices must be compliance with all federal,
	state and local laws and regulations. Regulations may vary in
	different locations. Waste characterizations and compliance with
	applicable laws are the responsibility solely of the waste
	generator.
	For unused & uncontaminated product, the preferred options
	include sending to a licensed, permitted recycler. Incinerator or
	other thermal destruction device. Landfill. If incineration is used,
	take precautions to guard against the formation of explosive dust

Last revised on 5/5/20 Page 6 of 7

	air mixtures when handling combustible powders.
Disposal of Packaging:	-

14. Transport Information

Land transport (ADR/RID/GGVSE):	This product is not regulated as a hazardous material or
	dangerous goods for transportation.
Sea transport (IMDG-Code/GVSE):	This product is not regulated as a hazardous material or
	dangerous goods for transportation.
Air transport (ICAO-TI/IATA-DGR):	This product is not regulated as a hazardous material or
	dangerous goods for transportation.
UN Number:	-
Transport hazard class:	Not classified as hazardous for transport.
Packing group:	-
Environmental hazards:	-
Special precautions for user:	Store in dry and ventilated room by its Lot respectively. Not for
	outdoor storage. Keep away from sunlight and humidity during
	storage or transportation.

15. Regulatory Information

Labelling:	-
Hazard designation of product:	Not classified as hazardous for transport.
Transport hazard class:	-
Hazard components of labelling:	-
Risk phrases:	-
Safety phrases:	-
Special labelling:	-

16. Other Information

Issued by:	Health & Safety
Revision date:	05/05/20

DISCLAIMER

This information is based on presently available data and knowledge. It describes the product related to the appropriate safety precautions.

The information contained in this SDS has been compiled from reliable sources and is believed to be correct as of the date issued. It is the responsibility of the user to determine the appropriateness and applicability to their situation. Eagle Protect PBC disclaims any expressed or implied warranty as to the accuracy of the above information and shall not be held liable for any direct, incidental, or consequential damages from use or reliance on the above information.

Last revised on 5/5/20 Page 7 of 7